

Patient Criteria for Monoclonal Antibody Infusion for COVID-19

Patient criteria for those 18 and older:	Patient criteria for those ages 12 to 17:
Positive molecular COVID-19 test.	Positive molecular COVID-19 test.
Able to receive infusion within 10 days of onset of COVID-19 symptoms.	Able to receive infusion within 10 days of onset of COVID-19 symptoms.
Is NOT : hospitalized, requiring oxygen due to COVID-19 or experiencing an increase in baseline oxygen from a prior non-COVID-19 condition.	Is NOT : hospitalized, requiring oxygen due to COVID-19 or experiencing an increase in baseline oxygen from a prior non-COVID-19 condition. Must weigh more than 88 pounds.
<p>And meets at least ONE of these criteria:</p> <ul style="list-style-type: none"> • 65 or older • BMI of 35 or higher • Chronic kidney disease • Diabetes • Weakened immune system from a condition like HIV, AIDS, rheumatoid arthritis, lupus, type 1 diabetes, cancer or asthma • Receiving immunosuppressive therapy, such as treatment for cancer or an autoimmune condition • Is 55 or older AND has cardiovascular disease, hypertension or COPD/chronic respiratory disease 	<p>And meets at least one of these criteria:</p> <ul style="list-style-type: none"> • Body mass index (BMI) is greater than the 85th percentile for age and gender • Sickle cell disease • Congenital or acquired heart disease • Neurodevelopmental disease, such as cerebral palsy • A medical-related technological dependence, such as tracheostomy, gastrostomy or positive pressure ventilation • Asthma, reactive airway disease or other chronic respiratory disease requiring daily medications for control